SEQUENCE LISTING

<110> Schork, Nicholas J.
      Essioux, Laurent
      Cohen-Akenine, Annick
      Blumenfeld, Marta
      Cohen, Daniel

<120> METHODS, SOFTWARE AND APPARATI FOR IDENTIFYING GENOMIC REGIONS
HARBORING A GENE ASSOCIATED WITH A DETECTABLE TRAIT

<130> Genset.048AUS

<141> 1999-11-10

<150> US 60/107,986
<151> 1998-11-10

<150> US 60/140,785
<151> 1999-06-23

<160> 30

<170> Patent.pm

<210> 1
<211> 47
<212> DNA
<213> Homo sapiens

<220>
<221> allele
<222> 24
<223> polymorphic base A

<220>
<221> misc_binding
<222> 1..23
<223> potential microsequencing oligo 99-344-mis1

<220>
<221> misc_binding
<222> 25..43
<223> microsequencing oligo 99-344-mis2, complement

<400> 1
tgctgccaag gatccatgtc agcatgctcc tctctgagcc ctggtct   47

<210> 2
<211> 47
<212> DNA
<213> Homo sapiens

1

<220>
<221> allele
<222> 24
<223> polymorphic base T

<220>
<221> misc_binding
<222> 5..23
<223> microsequencing oligo 99-366-mis1

<220>
<221> misc_binding
<222> 25..47
<223> potential microsequencing oligo 99-366-mis2, complement

<400> 2
agggcctggc ttcagggaca gcttaggaaa tgtttgttga gttagtg   47

<210> 3
<211> 47
<212> DNA
<213> Homo sapiens

<220>
<221> allele
<222> 24
<223> polymorphic base G

<220>
<221> misc_binding
<222> 1..23
<223> potential microsequencing oligo 99-359-mis1

<220>
<221> misc_binding
<222> 25..43
<223> microsequencing oligo 99-359-mis2, complement

<400> 3
ctacagagtc atcgcctcca tccggtctca acaaatcctg gcagctc   47

<210> 4
<211> 47
<212> DNA
<213> Homo sapiens

<220>
<221> allele
<222> 24
<223> polymorphic base G

<220>
<221> misc_binding
<222> 1..23

2

<223> potential microsequencing oligo 99-355-mis1

<220>
<221> misc_binding
<222> 25..43
<223> microsequencing oligo 99-355-mis2, complement

<400> 4
ggagtttcgg ggagtttcgg gagggttcct gggaagaagc tcctccc   47

<210> 5
<211> 47
<212> DNA
<213> Homo sapiens

<220>
<221> allele
<222> 24
<223> polymorphic base C

<220>
<221> misc_binding
<222> 5..23
<223> microsequencing oligo 99-365-mis1

<220>
<221> misc_binding
<222> 25..47
<223> potential microsequencing oligo 99-365-mis2, complement

<400> 5
cctaccaagc aagcagcccc agcctagggt cagacagggt gagcctc   47

<210> 6
<211> 47
<212> DNA
<213> Homo sapiens

<220>
<221> allele
<222> 24
<223> polymorphic base C

<220>
<221> misc_binding
<222> 5..23
<223> microsequencing oligo 99-2452-mis1

<220>
<221> misc_binding
<222> 25..47
<223> potential microsequencing oligo 99-2452-mis2, complement

<220>

3

```
<221> misc_feature
<222> 1..47
<223> extracted from sequence gb:M10065 (3909..3955)

<400> 6
tgggcgcgca catggaggac gtgcgcggcc gcctggtgca gtaccgc                47


<210> 7
<211> 47
<212> DNA
<213> Homo sapiens

<220>
<221> allele
<222> 24
<223> polymorphic base G, A in SEQID1

<220>
<221> misc_binding
<222> 1..23
<223> potential microsequencing oligo 99-344-mis1

<220>
<221> misc_binding
<222> 25..43
<223> microsequencing oligo 99-344-mis2, complement

<400> 7
tgctgccaag gatccatgtc agcgtgctcc tctctgagcc ctggtct            47


<210> 8
<211> 47
<212> DNA
<213> Homo sapiens

<220>
<221> allele
<222> 24
<223> polymorphic base C, T in SEQID2

<220>
<221> misc_binding
<222> 5..23
<223> microsequencing oligo 99-366-mis1

<220>
<221> misc_binding
<222> 25..47
<223> potential microsequencing oligo 99-366-mis2, complement

<400> 8
agggcctggc ttcagggaca gctcaggaaa tgtttgttga gttagtg            47


<210> 9
```

```
<211> 47
<212> DNA
<213> Homo sapiens

<220>
<221> allele
<222> 24
<223> polymorphic base A, G in SEQID3

<220>
<221> misc_binding
<222> 1..23
<223> potential microsequencing oligo 99-359-mis1

<220>
<221> misc_binding
<222> 25..43
<223> microsequencing oligo 99-359-mis2, complement

<400> 9
ctacagagtc atcgcctcca tccagtctca acaaatcctg gcagctc                    47

<210> 10
<211> 47
<212> DNA
<213> Homo sapiens

<220>
<221> allele
<222> 24
<223> polymorphic base A, G in SEQID4

<220>
<221> misc_binding
<222> 1..23
<223> potential microsequencing oligo 99-355-mis1

<220>
<221> misc_binding
<222> 25..43
<223> microsequencing oligo 99-355-mis2, complement

<400> 10
ggagtttcgg ggagtttcgg gagagttcct gggaagaagc tcctccc                    47

<210> 11
<211> 47
<212> DNA
<213> Homo sapiens

<220>
<221> allele
<222> 24
<223> polymorphic base T, C in SEQID5
```

5

```
<220>
<221> misc_binding
<222> 5..23
<223> microsequencing oligo 99-365-mis1

<220>
<221> misc_binding
<222> 25..47
<223> potential microsequencing oligo 99-365-mis2, complement

<400> 11
cctaccaagc aagcagcccc agcttagggt cagacagggt gagcctc                    47

<210> 12
<211> 47
<212> DNA
<213> Homo sapiens

<220>
<221> allele
<222> 24
<223> polymorphic base T, C in SEQID6

<220>
<221> misc_binding
<222> 5..23
<223> microsequencing oligo 99-2452-mis1

<220>
<221> misc_binding
<222> 25..47
<223> potential microsequencing oligo 99-2452-mis2, complement

<400> 12
tgggcgcgga catggaggac gtgtgcggcc gcctggtgca gtaccgc                    47

<210> 13
<211> 20
<212> DNA
<213> Homo sapiens

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer for SEQID 1 and SEQID 7

<400> 13
gctctcatat tcattgggtg                                                  20

<210> 14
<211> 18
<212> DNA
<213> Homo sapiens
```

6

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer for SEQID 2 and SEQID 8

<400> 14
tctctcccgt gttaaatg   18

<210> 15
<211> 18
<212> DNA
<213> Homo sapiens

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer for SEQID 3 and SEQID 9

<400> 15
aatcttcttg ctcctgtc   18

<210> 16
<211> 18
<212> DNA
<213> Homo sapiens

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer for SEQID 4 and SEQID 10

<400> 16
aggttagggg tgtatttc   18

<210> 17
<211> 18
<212> DNA
<213> Homo sapiens

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer for SEQID 5 and SEQID 11

<400> 17
agactgtgac cttagacc   18

<210> 18
<211> 18
<212> DNA
<213> Homo sapiens

<220>

7

```
<221> primer_bind
<222> 1..18
<223> upstream amplification primer for SEQID 6 and SEQID 12

<220>
<221> misc_feature
<222> 1..18
<223> Extracted from sequence gb:M10065 (3791..3808)

<400> 18
gacgagacca tgaaggag                                              18

<210> 19
<211> 19
<212> DNA
<213> Homo sapiens

<220>
<221> primer_bind
<222> 1..19
<223> downstream amplification primer for SEQID 1 and SEQID 7

<400> 19
tggctgcggt tagatgctc                                            19

<210> 20
<211> 18
<212> DNA
<213> Homo sapiens

<220>
<221> primer_bind
<222> 1..18
<223> downstream amplification primer for SEQID 2 and SEQID 8

<400> 20
aggggtaact cttgattg                                             18

<210> 21
<211> 18
<212> DNA
<213> Homo sapiens

<220>
<221> primer_bind
<222> 1..18
<223> downstream amplification primer for SEQID 3 and SEQID 9

<400> 21
accaaggcat agcttctc                                             18

<210> 22
<211> 18
<212> DNA
```

8

<213> Homo sapiens

<220>
<221> primer_bind
<222> 1..18
<223> downstream amplification primer for SEQID 4 and SEQID 10

<400> 22
atacagccag ggagatag   18

<210> 23
<211> 18
<212> DNA
<213> Homo sapiens

<220>
<221> primer_bind
<222> 1..18
<223> downstream amplification primer for SEQID 5 and SEQID 11

<400> 23
aattgctacc cccaattc   18

<210> 24
<211> 18
<212> DNA
<213> Homo sapiens

<220>
<221> primer_bind
<222> 1..18
<223> downstream amplification primer for SEQID 6 and SEQID 12

<220>
<221> misc_feature
<222> 1..18
<223> Extracted from sequence gb:M10065 (complement 4378 4395)

<400> 24
tcgaaccagc tcttgagg   18

<210> 25
<211> 23
<212> DNA
<213> Homo sapiens

<220>
<221> misc_binding
<222> 1..23
<223> potential microsequencing oligo 99-344.mis1

<400> 25
tgctgccaag gatccatgtc agc   23

```
<210> 26
<211> 19
<212> DNA
<213> Homo sapiens

<220>
<221> misc_binding
<222> 1..19
<223> microsequencing oligo 99-366.mis1

<400> 26
cctggcttca gggacagct                                                    19

<210> 27
<211> 23
<212> DNA
<213> Homo sapiens

<220>
<221> misc_binding
<222> 1..23
<223> potential microsequencing oligo 99-359.mis1

<400> 27
ctacagagtc atcgcctcca tcc                                               23

<210> 28
<211> 23
<212> DNA
<213> Homo sapiens

<220>
<221> misc_binding
<222> 1..23
<223> potential microsequencing oligo 99-355.mis

<400> 28
ggagtttcgg ggagtttcgg gag                                               23

<210> 29
<211> 19
<212> DNA
<213> Homo sapiens

<220>
<221> misc_binding
<222> 1..19
<223> microsequencing oligo 99-365.mis

<400> 29
ccaagcaagc agccccagc                                                    19

<210> 30
<211> 19
```

10

```
<212> DNA
<213> Homo sapiens

<220>
<221> misc_binding
<222> 1..19
<223> microsequencing oligo 99-2452.mis

<400> 30
cgcggacatg gaggacgtg                                                    19
```

SEQUENCE LISTING

<110> Schork, Nicholas J.
      Essioux, Laurent
      Cohen-Akenine, Annick
      Blumenfeld, Marta
      Cohen, Daniel

<120> METHODS, SOFTWARE AND APPARATI FOR IDENTIFYING GENOMIC REGIONS
      HARBORING A GENE ASSOCIATED WITH A DETECTABLE TRAIT

<130> 55.US4.DIV

<140>
<141>

<150> US 09/438,016
<151> 1999-11-10

<160> 30

<170> Patent.pm

<210> 1
<211> 47
<212> DNA
<213> Homo sapiens

<220>
<221> allele
<222> 24
<223> polymorphic base A

<220>
<221> misc_binding
<222> 1..23
<223> potential microsequencing oligo 99-344-mis1

<220>
<221> misc_binding
<222> 25..43
<223> microsequencing oligo 99-344-mis2, complement

<400> 1
tgctgccaag gatccatgtc agcatgctcc tctctgagcc ctggtct   47

<210> 2
<211> 47
<212> DNA
<213> Homo sapiens

<220>
<221> allele
<222> 24
<223> polymorphic base T

<220>
<221> misc_binding
<222> 5..23
<223> microsequencing oligo 99-366-mis1

```
Volume in drive D:\ is GENSE
Directory of D:\

README.TXT                    1 KB        5/14/01
SEQLIST.TXT                  10 KB        5/14/01


   2 file(s)
   Total filesize 11 KB
   0 kilobytes free
```